Appl. No. 10/046,937 Amdt. Dated May 2, 2005 Reply to Office Action of March 4, 2005

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the above-identified application:

Claim 1 (currently amended): A method of verifying proper design and operation of a programmed programmable logic device (PLD) utilizing a PLD test device, comprising:

developing at least one simulation test vector using a PLD design automation software tool:

testing a simulated model of the programmed PLD using each of the simulation test vectors;

translating at least one simulation test vector into at least one device level test vector while testing the simulation test simulated model of the programmed PLD, each device level test vector being in a format readable by the PLD test device; and

testing the programmed PLD in the PLD test device using each of the device level test vectors to obtain device level test results.

Claim 2 (original): The method of Claim 1, wherein all of the simulated test vectors are translated into a corresponding device level test vector.

Claim 3 (currently amended): The method of Claim 1, further comprising:

obtaining simulation test results while testing the simulation test simulated model
of the programmed PLD; and

comparing the simulation test results with the device level test results.

Claim 4 (original): The method of Claim 1, further comprising:

developing a software model of the programmed PLD using the design
automation software tool; and

translating the software model of the programmed PLD into the simulated model of the programmed PLD using a simulation software tool.

Appl. No. 10/046,937 Amdt. Dated May 2, 2005 Reply to Office Action of March 4, 2005

Claim 5 (currently amended): The method of Claim 4, wherein the simulation software tool translates the simulation test vectors into the device level test vectors while testing the simulation test simulated model of the programmed PLD.

Claim 6 (original): The method of Claim 5, wherein each of the device level test vectors include stimulus data and expected results data.

Claim 7 (original): The method of Claim 1, further comprising:
generating at least one data file; and
storing each of the device level test vectors in the data files.

Claim 8 (original): The method of Claim 7, further comprising:

compressing the data files;

storing the compressed data files on a memory storage device; and
decompressing the compressed data files to recover the device level test vectors.

Claim 9 (original): The method of Claim 1, further comprising:

developing a software model of the programmed PLD using a design automation software tool; and

synthesizing the software model of the programmed PLD using a design synthesis software tool.

Claim 10 (original): The method of Claim 9, further comprising: generating a PLD program file from the synthesized software model.

Claim 11 (original): The method of Claim 10, further comprising:

downloading the PLD program file into an integrated PLD circuit to create the programmed PLD.

Claim 12 (original): The method of Claim 1, further comprising:

Appl. No. 10/046,937 Arndt. Dated May 2, 2005 Reply to Office Action of March 4, 2005

developing a software model of the programmed PLD using a design automation software tool;

synthesizing the software model of the programmed PLD using a design synthesis software tool;

translating the synthesized software model into a post-synthesis simulated model of the programmed PLD using the simulation software; and

testing the post-synthesis simulated model of the programmed PLD using each of the simulation test vectors to obtain post-synthesis simulation test results.

Claim 13 (currently amended): A method of verifying proper design and operation of a programmed programmable logic device (PLD) utilizing a PLD test device, comprising:

developing at least one simulation test vector using a PLD design automation software tool;

testing a simulated model of the programmed PLD using each of the simulation test vectors to obtain simulation test results;

translating at least one simulation test vector into at least one device level test vector while testing the simulation test simulated model of the programmed PLD, each device level test vector being in a format readable by the PLD test device;

testing the programmed PLD in the PLD test device using each of the device level test vectors to obtain device level test results; and

comparing the simulation test results with the device level test results.

Claim 14 (original): The method of Claim 13, wherein all of the simulated test vectors are translated into a corresponding device level test vector.

Claim 15 (original): The method of Claim 13, further comprising:

developing a software model of the programmed PLD using the design automation software tool; and

translating the software model of the programmed PLD into the simulated model of the programmed PLD using a simulation software tool.

Appl. No. 10/046,937 Amdt. Dated May 2, 2005 Reply to Office Action of March 4, 2005

Claim 16 (currently amended): The method of Claim 15, wherein the simulation software tool translates the simulation test vectors into the device level test vectors while testing the simulation test gimulated model of the programmed PLD.

Claim 17 (original): The method of Claim 16, wherein each of the device level test vectors include stimulus data and expected results data.

Claim 18 (original): The method of Claim 13, further comprising: generating at least one data file; and storing each of the device level test vectors in the data files.

Claim 19 (original): The method of Claim 18, further comprising:

compressing the data files;

storing the compressed data files on a memory storage device; and
decompressing the compressed data files to recover the device level test vectors.

Claim 20 (original): The method of Claim 13, further comprising:

developing a software model of the programmed PLD using a design automation software tool; and

synthesizing the software model of the programmed PLD using a design synthesis software tool.

Claim 21 (original): The method of Claim 20, further comprising: generating a PLD program file from the synthesized software model.

Claim 22 (original): The method of Claim 21, further comprising:

downloading the PLD program file into an integrated PLD circuit to create the programmed PLD.

Appl. No. 10/046,937

Amdt. Dated May 2, 2005

Reply to Office Action of March 4, 2005

Claim 23 (original): The method of Claim 13, further comprising:

developing a software model of the programmed PLD using a design automation software tool;

synthesizing the software model of the programmed PLD using a design synthesis software tool;

translating the synthesized software model into a post-synthesis simulated model of the programmed PLD using the simulation software; and

testing the post-synthesis simulated model of the programmed PLD using each of the simulation test vectors to obtain post-synthesis simulation test results.

Claim 24 (currently amended): A method of verifying proper design and operation of a programmed programmable logic device (PLD) utilizing a PLD test device, comprising:

developing a software model of the programmed PLD using a design automation software tool;

translating the software model of the programmed PLD into a simulated model of the programmed PLD using a simulation software tool;

developing at least one simulation test vector using PLD the design automation software tool;

testing the simulated model of the programmed PLD using each of the simulation test vectors to obtain simulation test results:

translating at least one simulation test vector into at least one device level test vector while testing the simulation test simulated model of the programmed PLD, each device level test vector being in a format readable by the PLD test device;

testing the programmed PLD in the PLD test device using each of the device level test vectors to obtain device level test results;

comparing the simulation test results with the device level test results.

Claims 25-53 (canceled).